

## [Open Source Software and Other License Information]

The information about the open-source software used in this service is provided below.

| No. | Name               | Version    | URL   | Licence   |
|-----|--------------------|------------|---|---|
| 1   | GitPython          | 3.1.41     | <a href="https://github.com/gitpython-developers/GitPython">https://github.com/gitpython-developers/GitPython</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 2   | ImageHash          | 4.3.1      | <a href="https://github.com/JohannesBuchner/imagehash">https://github.com/JohannesBuchner/imagehash</a>             | BSD-2-Clause(BSD 2-Clause "Simplified" License)                   |
| 3   | Jinja2             | 3.1.3      | <a href="https://palletsprojects.com/p/jinja/">https://palletsprojects.com/p/jinja/</a>                             | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 4   | Markdown           | 3.5.2      | <a href="https://Python-Markdown.github.io/">https://Python-Markdown.github.io/</a>                                 | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 5   | MarkupSafe         | 2.1.4      | <a href="https://palletsprojects.com/p/markupsafe/">https://palletsprojects.com/p/markupsafe/</a>                   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 6   | Pillow             | 9.5.0      | <a href="https://python-pillow.org">https://python-pillow.org</a>   | HPND(Historical Permission Notice and Disclaimer)                 |
| 7   | PyWavelets         | 1.4.1      | <a href="https://github.com/PyWavelets/pywt">https://github.com/PyWavelets/pywt</a>                                 | MIT(MIT License)  |
| 8   | PyYAML             | 6.0.1      | <a href="https://pyyaml.org/">https://pyyaml.org/</a>   | MIT(MIT License)  |
| 9   | Pygments           | 2.17.2     | <a href="https://pygments.org">https://pygments.org</a>   | BSD-2-Clause(BSD 2-Clause "Simplified" License)                   |
| 10  | Werkzeug           | 3.0.1      | <a href="https://github.com/pallets/werkzeug/">https://github.com/pallets/werkzeug/</a>                             | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 11  | absl-py            | 2.1.0      | <a href="https://github.com/abseil/abseil-py">https://github.com/abseil/abseil-py</a>                               | Apache-2.0(Apache License 2.0)                                    |
| 12  | altair             | 5.2.0      | <a href="https://github.com/altair-viz/altair">https://github.com/altair-viz/altair</a>                             | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 13  | asttokens          | 2.4.1      | <a href="https://github.com/gristlabs/asttokens">https://github.com/gristlabs/asttokens</a>                         | Apache-2.0(Apache License 2.0)                                    |
| 14  | astunparse         | 1.6.3      | <a href="https://github.com/simonpercivall/astunparse">https://github.com/simonpercivall/astunparse</a>             | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 15  | attrs              | 23.2.0     | <a href="https://www.attrs.org/en/stable/changelog.html">https://www.attrs.org/en/stable/changelog.html</a>         | MIT(MIT License)  |
| 16  | backcall           | 0.2.0      | <a href="https://github.com/takluyver/backcall">https://github.com/takluyver/backcall</a>                           | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 17  | backports.zoneinfo | 0.2.1      | <a href="https://github.com/pganssle/zoneinfo">https://github.com/pganssle/zoneinfo</a>                             | Apache-2.0(Apache License 2.0)                                    |
| 18  | beautifulsoup4     | 4.12.2     | <a href="https://www.crummy.com/software/BeautifulSoup/bs4/">https://www.crummy.com/software/BeautifulSoup/bs4/</a> | MIT(MIT License)  |
| 19  | blinker            | 1.7.0      | <a href="https://blinker.readthedocs.io">https://blinker.readthedocs.io</a>   | MIT(MIT License)  |
| 20  | cachetools         | 5.3.2      | <a href="https://github.com/tkem/cachetools/">https://github.com/tkem/cachetools/</a>                               | MIT(MIT License)  |
| 21  | catboost           | 1.2.2      | <a href="https://catboost.ai">https://catboost.ai</a>   | Apache-2.0(Apache License 2.0)                                    |
| 22  | certifi            | 2023.11.17 | <a href="https://github.com/certifi/python-certifi">https://github.com/certifi/python-certifi</a>                   | MPL-2.0(Mozilla Public License 2.0)                               |
| 23  | chardet            | 5.2.0      | <a href="https://github.com/chardet/chardet">https://github.com/chardet/chardet</a>                                 | LGPL-2.0-or-later(GNU Library General Public License v2 or later) |
| 24  | charset-normalizer | 3.3.2      | <a href="https://github.com/Ousret/charset_normalizer">https://github.com/Ousret/charset_normalizer</a>             | MIT(MIT License)  |
| 25  | click              | 8.1.7      | <a href="https://palletsprojects.com/p/click/">https://palletsprojects.com/p/click/</a>                             | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |
| 26  | comm               | 0.2.1      | <a href="https://github.com/ipython/comm">https://github.com/ipython/comm</a>                                       | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)             |

|    |                           |           |   |   |
|----|---------------------------|-----------|---|---|
| 27 | cycler                    | 0.12.1    | <a href="https://matplotlib.org/cycler/">https://matplotlib.org/cycler/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 28 | dacite                    | 1.8.1     | <a href="https://github.com/konradhalas/dacite">https://github.com/konradhalas/dacite</a>   | MIT(MIT License)                                      |
| 29 | decorator                 | 5.1.1     | <a href="https://github.com/micheles/decorator">https://github.com/micheles/decorator</a>   | BSD-2-Clause(BSD 2-Clause "Simplified" License)       |
| 30 | exceptiongroup            | 1.2.0     | <a href="https://github.com/agronholm/exceptiongroup/blob/main/CHANGES.rst">https://github.com/agronholm/exceptiongroup/blob/main/CHANGES.rst</a>                   | MIT(MIT License)                                      |
| 31 | executing                 | 2.0.1     | <a href="https://github.com/alexmojaki/executing">https://github.com/alexmojaki/executing</a>   | MIT(MIT License)                                      |
| 32 | filelock                  | 3.13.1    | <a href="https://github.com/tox-dev/py-filelock">https://github.com/tox-dev/py-filelock</a>   | Unlicense(The Unlicense)                              |
| 33 | flatbuffers               | 23.5.26   | <a href="https://google.github.io/flatbuffers/">https://google.github.io/flatbuffers/</a>   | Apache-2.0(Apache License 2.0)                        |
| 34 | fonttools                 | 4.47.2    | <a href="http://github.com/fonttools/fonttools">http://github.com/fonttools/fonttools</a>   | MIT(MIT License)                                      |
| 35 | fsspec                    | 2023.12.2 | <a href="https://github.com/fsspec/filesystem_spec">https://github.com/fsspec/filesystem_spec</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 36 | gast                      | 0.4.0     | <a href="https://github.com/serge-sans-paille/gast/">https://github.com/serge-sans-paille/gast/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 37 | gitdb                     | 4.0.11    | <a href="https://github.com/gitpython-developers/gitdb">https://github.com/gitpython-developers/gitdb</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 38 | google-auth               | 2.26.2    | <a href="https://github.com/googleapis/google-auth-library-python">https://github.com/googleapis/google-auth-library-python</a>                                     | Apache-2.0(Apache License 2.0)                        |
| 39 | google-auth-oauthlib      | 1.0.0     | <a href="https://github.com/GoogleCloudPlatform/google-auth-library-python-oauthlib">https://github.com/GoogleCloudPlatform/google-auth-library-python-oauthlib</a> | Apache-2.0(Apache License 2.0)                        |
| 40 | google-pasta              | 0.2.0     | <a href="https://github.com/google/pasta">https://github.com/google/pasta</a>   | Apache-2.0(Apache License 2.0)                        |
| 41 | graphviz                  | 0.20.1    | <a href="https://github.com/xflr6/graphviz">https://github.com/xflr6/graphviz</a>   | MIT(MIT License)                                      |
| 42 | grpcio                    | 1.60.0    | <a href="https://grpc.io">https://grpc.io</a>   | Apache-2.0(Apache License 2.0)                        |
| 43 | h5py                      | 3.10.0    | <a href="https://www.h5py.org/">https://www.h5py.org/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 44 | htmlmin                   | 0.1.12    | <a href="https://htmlmin.readthedocs.io/en/latest/">https://htmlmin.readthedocs.io/en/latest/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 45 | huggingface-hub           | 0.20.3    | <a href="https://github.com/huggingface/huggingface_hub">https://github.com/huggingface/huggingface_hub</a>   | Apache-2.0(Apache License 2.0)                        |
| 46 | idna                      | 3.6       | <a href="https://github.com/kjd/idna">https://github.com/kjd/idna</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 47 | imbalanced-learn          | 0.11.0    | <a href="https://github.com/scikit-learn-contrib/imbalanced-learn">https://github.com/scikit-learn-contrib/imbalanced-learn</a>                                     | MIT(MIT License)                                      |
| 48 | importlib-metadata        | 6.11.0    | <a href="https://github.com/python/importlib_metadata">https://github.com/python/importlib_metadata</a>   | Apache-2.0(Apache License 2.0)                        |
| 49 | importlib-resources       | 6.1.1     | <a href="https://github.com/python/importlib_resources">https://github.com/python/importlib_resources</a>   | Apache-2.0(Apache License 2.0)                        |
| 50 | iniconfig                 | 2.0.0     | <a href="https://github.com/pytest-dev/iniconfig">https://github.com/pytest-dev/iniconfig</a>   | MIT(MIT License)                                      |
| 51 | ipython                   | 8.4.0     | <a href="https://ipython.org">https://ipython.org</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 52 | ipywidgets                | 8.1.1     | <a href="http://jupyter.org">http://jupyter.org</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 53 | japanese-number-converter | 1.0.1     | <a href="https://github.com/kitagawa-hr/japanese-numbers-converter">https://github.com/kitagawa-hr/japanese-numbers-converter</a>                                   | MIT(MIT License)                                      |
| 54 | jax                       | 0.4.13    | <a href="https://github.com/google/jax">https://github.com/google/jax</a>   | Apache-2.0(Apache License 2.0)                        |
| 55 | jedi                      | 0.19.1    | <a href="https://github.com/davidhalter/jedi">https://github.com/davidhalter/jedi</a>   | MIT(MIT License)                                      |
| 56 | joblib                    | 1.3.2     | <a href="https://joblib.readthedocs.io">https://joblib.readthedocs.io</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |

|    |                           |           |   |   |
|----|---------------------------|-----------|---|---|
| 57 | jsonschema                | 4.21.1    | <a href="https://github.com/python-jsonschema/jsonschema">https://github.com/python-jsonschema/jsonschema</a>                               | MIT(MIT License)                                      |
| 58 | jsonschema-specifications | 2023.12.1 | <a href="https://github.com/python-jsonschema/jsonschema-specifications">https://github.com/python-jsonschema/jsonschema-specifications</a> | MIT(MIT License)                                      |
| 59 | jupyterlab-widgets        | 3.0.9     | <a href="https://github.com/jupyter-widgets/ipywidgets">https://github.com/jupyter-widgets/ipywidgets</a>                                   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 60 | keras                     | 2.12.0    | <a href="https://keras.io/">https://keras.io/</a>   | Apache-2.0(Apache License 2.0)                        |
| 61 | keybert                   | 0.7.0     | <a href="https://github.com/MaartenGr/keyBERT">https://github.com/MaartenGr/keyBERT</a>   | MIT(MIT License)                                      |
| 62 | kiwisolver                | 1.4.5     | <a href="https://github.com/nucleic/kiwi">https://github.com/nucleic/kiwi</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 63 | langdetect                | 1.0.9     | <a href="https://github.com/Mimino666/langdetect">https://github.com/Mimino666/langdetect</a>   | Apache-2.0(Apache License 2.0)                        |
| 64 | libclang                  | 16.0.6    | <a href="https://github.com/sighingnow/libclang">https://github.com/sighingnow/libclang</a>   | Apache-2.0(Apache License 2.0)                        |
| 65 | lightgbm                  | 4.1.0     | <a href="https://github.com/microsoft/LightGBM">https://github.com/microsoft/LightGBM</a>   | MIT(MIT License)                                      |
| 66 | markdown-it-py            | 3.0.0     | <a href="https://github.com/executablebooks/markdown-it-py">https://github.com/executablebooks/markdown-it-py</a>                           | MIT(MIT License)                                      |
| 67 | matplotlib                | 3.5.3     | <a href="https://matplotlib.org">https://matplotlib.org</a>   | Python-2.0(Python License 2.0)                        |
| 68 | matplotlib-inline         | 0.1.6     | <a href="https://github.com/ipython/matplotlib-inline">https://github.com/ipython/matplotlib-inline</a>                                     | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 69 | mdurl                     | 0.1.2     | <a href="https://github.com/executablebooks/mdurl">https://github.com/executablebooks/mdurl</a>   | MIT(MIT License)                                      |
| 70 | mecab-python3             | 1.0.7     | <a href="https://github.com/SamuraiT/mecab-python3">https://github.com/SamuraiT/mecab-python3</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 71 | ml-dtypes                 | 0.2.0     | <a href="https://github.com/jax-ml/ml_dtypes">https://github.com/jax-ml/ml_dtypes</a>   | Apache-2.0(Apache License 2.0)                        |
| 72 | multimethod               | 1.1       | <a href="https://github.com/coady/multimethod">https://github.com/coady/multimethod</a>   | Apache-2.0(Apache License 2.0)                        |
| 73 | networkx                  | 3.1       | <a href="https://networkx.org/">https://networkx.org/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 74 | nltk                      | 3.8.1     | <a href="https://www.nltk.org/">https://www.nltk.org/</a>   | Apache-2.0(Apache License 2.0)                        |
| 75 | numpy                     | 1.23.5    | <a href="https://www.numpy.org">https://www.numpy.org</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 76 | oauthlib                  | 3.2.2     | <a href="https://github.com/oauthlib/oauthlib">https://github.com/oauthlib/oauthlib</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 77 | opt-einsum                | 3.3.0     | <a href="https://github.com/dgasmith/opt_einsum">https://github.com/dgasmith/opt_einsum</a>   | MIT(MIT License)                                      |
| 78 | packaging                 | 23.2      | <a href="https://github.com/pypa/packaging">https://github.com/pypa/packaging</a>   | Apache-2.0(Apache License 2.0)                        |
| 79 | pandas                    | 2.0.3     | <a href="https://pandas.pydata.org">https://pandas.pydata.org</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 80 | parso                     | 0.8.3     | <a href="https://github.com/davidhalter/parso">https://github.com/davidhalter/parso</a>   | MIT(MIT License)                                      |
| 81 | patsy                     | 0.5.6     | <a href="https://github.com/pydata/patsy">https://github.com/pydata/patsy</a>   | BSD-2-Clause(BSD 2-Clause "Simplified" License)       |
| 82 | pexpect                   | 4.9.0     | <a href="https://pexpect.readthedocs.io/">https://pexpect.readthedocs.io/</a>   | ISC(ISC License)                                      |
| 83 | phik                      | 0.12.4    | <a href="https://github.com/KavelO/PhiK">https://github.com/KavelO/PhiK</a>   | MIT(MIT License)                                      |
| 84 | pickleshare               | 0.7.5     | <a href="https://github.com/pickleshare/pickleshare">https://github.com/pickleshare/pickleshare</a>   | MIT(MIT License)                                      |
| 85 | pkgutil_resolve_name      | 1.3.10    | <a href="https://github.com/graingert/pkgutil-resolve-name">https://github.com/graingert/pkgutil-resolve-name</a>                           | MIT(MIT License)                                      |
| 86 | plotly                    | 5.18.0    | <a href="https://plotly.com/python/">https://plotly.com/python/</a>   | MIT(MIT License)                                      |
| 87 | pluggy                    | 1.3.0     | <a href="https://github.com/pytest-dev/pluggy">https://github.com/pytest-dev/pluggy</a>   | MIT(MIT License)                                      |
| 88 | prompt-toolkit            | 3.0.43    | <a href="https://github.com/prompt-toolkit/python-prompt-toolkit">https://github.com/prompt-toolkit/python-prompt-toolkit</a>               | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 89 | protobuf                  | 4.25.2    | <a href="https://developers.google.com/protocol-buffers/">https://developers.google.com/protocol-buffers/</a>                               | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |

|     |                       |              |   |  |
|-----|-----------------------|--------------|---|--|
| 90  | ptyprocess            | 0.7.0        | <a href="https://github.com/pexpect/ptyprocess">https://github.com/pexpect/ptyprocess</a>   | ISC(ISC License)                                       |
| 91  | pure-eval             | 0.2.2        | <a href="http://github.com/alexmojaki/pure_eval">http://github.com/alexmojaki/pure_eval</a>   | MIT(MIT License)                                       |
| 92  | pyarrow               | 15.0.0       | <a href="https://arrow.apache.org/">https://arrow.apache.org/</a>   | Apache-2.0(Apache License 2.0)                         |
| 93  | pyasn1                | 0.5.1        | <a href="https://github.com/pyasn1/pyasn1">https://github.com/pyasn1/pyasn1</a>   | BSD-2-Clause(BSD 2-Clause "Simplified" License)        |
| 94  | pyasn1-modules        | 0.3.0        | <a href="https://github.com/pyasn1/pyasn1-modules">https://github.com/pyasn1/pyasn1-modules</a>   | BSD-2-Clause(BSD 2-Clause "Simplified" License)        |
| 95  | pydantic              | 1.10.14      | <a href="https://github.com/pydantic/pydantic">https://github.com/pydantic/pydantic</a>   | MIT(MIT License)                                       |
| 96  | pydeck                | 0.8.1b0      | <a href="https://github.com/visgl/deck.gl/tree/master/bindings/pydeck">https://github.com/visgl/deck.gl/tree/master/bindings/pydeck</a> | Apache-2.0(Apache License 2.0)                         |
| 97  | pyparsing             | 3.1.1        | <a href="https://github.com/pyparsing/pyparsing/">https://github.com/pyparsing/pyparsing/</a>   | MIT(MIT License)                                       |
| 98  | pytest                | 7.4.2        | <a href="https://docs.pytest.org/en/latest/">https://docs.pytest.org/en/latest/</a>   | MIT(MIT License)                                       |
| 99  | python-dateutil       | 2.8.2        | <a href="https://github.com/dateutil/dateutil">https://github.com/dateutil/dateutil</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)  |
| 100 | pytz                  | 2023.3.post1 | <a href="http://pythonhosted.org/pytz">http://pythonhosted.org/pytz</a>   | MIT(MIT License)                                       |
| 101 | quantities            | 0.14.1       | <a href="https://github.com/python-quantities/python-quantities">https://github.com/python-quantities/python-quantities</a>             | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)  |
| 102 | referencing           | 0.32.1       | <a href="https://github.com/python-jsonschema/referencing">https://github.com/python-jsonschema/referencing</a>                         | MIT(MIT License)                                       |
| 103 | regex                 | 2023.12.25   | <a href="https://github.com/mrabarnett/mrab-regex">https://github.com/mrabarnett/mrab-regex</a>   | Apache-2.0(Apache License 2.0)                         |
| 104 | requests              | 2.31.0       | <a href="https://requests.readthedocs.io">https://requests.readthedocs.io</a>   | Apache-2.0(Apache License 2.0)                         |
| 105 | requests-oauthlib     | 1.3.1        | <a href="https://github.com/requests/requests-oauthlib">https://github.com/requests/requests-oauthlib</a>                               | ISC(ISC License)                                       |
| 106 | rich                  | 13.7.0       | <a href="https://github.com/Textualize/rich">https://github.com/Textualize/rich</a>   | MIT(MIT License)                                       |
| 107 | rpds-py               | 0.17.1       | <a href="https://github.com/crate-py/rpds">https://github.com/crate-py/rpds</a>   | MIT(MIT License)                                       |
| 108 | rsa                   | 4.9          | <a href="https://stuvel.eu/rsa">https://stuvel.eu/rsa</a>   | Apache-2.0(Apache License 2.0)                         |
| 109 | safetensors           | 0.4.2        | <a href="https://github.com/huggingface/safetensors">https://github.com/huggingface/safetensors</a>                                     | Apache-2.0(Apache License 2.0)                         |
| 110 | scikit-learn          | 1.3.1        | <a href="http://scikit-learn.org">http://scikit-learn.org</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)  |
| 111 | scipy                 | 1.10.1       | <a href="https://scipy.org/">https://scipy.org/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)  |
| 112 | seaborn               | 0.12.2       | <a href="https://github.com/mwaskom/seaborn">https://github.com/mwaskom/seaborn</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)  |
| 113 | sentence-transformers | 2.2.2        | <a href="https://github.com/UKPLab/sentence-transformers">https://github.com/UKPLab/sentence-transformers</a>                           | Apache-2.0(Apache License 2.0)                         |
| 114 | sentencepiece         | 0.1.99       | <a href="https://github.com/google/sentencepiece">https://github.com/google/sentencepiece</a>   | Apache-2.0(Apache License 2.0)                         |
| 115 | six                   | 1.16.0       | <a href="https://github.com/benjaminp/six">https://github.com/benjaminp/six</a>   | MIT(MIT License)                                       |
| 116 | smap                  | 5.0.1        | <a href="https://github.com/gitpython-developers/smap">https://github.com/gitpython-developers/smap</a>                                 | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)  |
| 117 | soupsieve             | 2.5          | <a href="https://github.com/facelessuser/soupsieve">https://github.com/facelessuser/soupsieve</a>                                       | MIT(MIT License)                                       |
| 118 | stack-data            | 0.6.3        | <a href="http://github.com/alexmojaki/stack_data">http://github.com/alexmojaki/stack_data</a>   | MIT(MIT License)                                       |
| 119 | statsmodels           | 0.14.1       | <a href="https://www.statsmodels.org/">https://www.statsmodels.org/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License)  |
| 120 | stqdm                 | 0.0.5        | <a href="https://github.com/Wirg/stqdm">https://github.com/Wirg/stqdm</a>   | Apache-2.0(Apache License 2.0)                         |
| 121 | streamlit             | 1.27.0       | <a href="https://streamlit.io">https://streamlit.io</a>   | Apache-2.0(Apache License 2.0)                         |
| 122 | tangled-up-in-unicode | 0.2.0        | <a href="https://github.com/dylan-profiler/tangled-up-in-unicode">https://github.com/dylan-profiler/tangled-up-in-unicode</a>           | BSD-4-Clause(BSD 4-Clause "Original" or "Old" License) |

|     |                                   |        |   |   |
|-----|-----------------------------------|--------|---|---|
| 123 | tenacity                          | 8.2.3  | <a href="https://github.com/jd/tenacity">https://github.com/jd/tenacity</a>   | Apache-2.0(Apache License 2.0)                        |
| 124 | tensorboard                       | 2.12.3 | <a href="https://github.com/tensorflow/tensorboard">https://github.com/tensorflow/tensorboard</a>   | Apache-2.0(Apache License 2.0)                        |
| 125 | tensorboard-<br>data-server       | 0.7.2  | <a href="https://github.com/tensorflow/tensorboard/tree/master/tensorboard/data/server">https://github.com/tensorflow/tensorboard/tree/master/tensorboard/data/server</a> | Apache-2.0(Apache License 2.0)                        |
| 126 | tensorflow                        | 2.12.0 | <a href="https://www.tensorflow.org/">https://www.tensorflow.org/</a>   | Apache-2.0(Apache License 2.0)                        |
| 127 | tensorflow-<br>estimator          | 2.12.0 | <a href="https://www.tensorflow.org/">https://www.tensorflow.org/</a>   | Apache-2.0(Apache License 2.0)                        |
| 128 | tensorflow-io-<br>gcs-filestorage | 0.34.0 | <a href="https://github.com/tensorflow/io">https://github.com/tensorflow/io</a>   | Apache-2.0(Apache License 2.0)                        |
| 129 | termcolor                         | 2.4.0  | <a href="https://github.com/termcolor/termcolor">https://github.com/termcolor/termcolor</a>   | MIT(MIT License)                                      |
| 130 | textdistance                      | 4.5.0  | <a href="https://github.com/orsinium/textdistance">https://github.com/orsinium/textdistance</a>   | MIT(MIT License)                                      |
| 131 | threadpoolctl                     | 3.2.0  | <a href="https://github.com/joblib/threadpoolctl">https://github.com/joblib/threadpoolctl</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 132 | tokenizers                        | 0.13.3 | <a href="https://github.com/huggingface/tokenizers">https://github.com/huggingface/tokenizers</a>   | Apache-2.0(Apache License 2.0)                        |
| 133 | toml                              | 0.10.2 | <a href="https://github.com/uiri/toml">https://github.com/uiri/toml</a>   | MIT(MIT License)                                      |
| 134 | tomli                             | 2.0.1  | <a href="https://github.com/hukkin/tomli">https://github.com/hukkin/tomli</a>   | MIT(MIT License)                                      |
| 135 | toolz                             | 0.12.1 | <a href="https://github.com/pytoolz/toolz/">https://github.com/pytoolz/toolz/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 136 | torch                             | 1.12.1 | <a href="https://pytorch.org/">https://pytorch.org/</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 137 | torchvision                       | 0.13.1 | <a href="https://github.com/pytorch/vision">https://github.com/pytorch/vision</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 138 | tornado                           | 6.4    | <a href="http://www.tornadoweb.org/">http://www.tornadoweb.org/</a>   | Apache-2.0(Apache License 2.0)                        |
| 139 | tqdm                              | 4.66.1 | <a href="https://tqdm.github.io">https://tqdm.github.io</a>   | MIT(MIT License)                                      |
| 140 | traitlets                         | 5.14.1 | <a href="https://github.com/ipython/traitlets">https://github.com/ipython/traitlets</a>   | BSD-3-Clause(BSD 3-Clause "New" or "Revised" License) |
| 141 | transformers                      | 4.33.2 | <a href="https://github.com/huggingface/transformers">https://github.com/huggingface/transformers</a>   | Apache-2.0(Apache License 2.0)                        |
| 142 | typeguard                         | 2.13.3 | <a href="https://github.com/agronholm/typeguard">https://github.com/agronholm/typeguard</a>   | MIT(MIT License)                                      |
| 143 | typing_extensions                 | 4.9.0  | <a href="https://github.com/python/typing_extensions">https://github.com/python/typing_extensions</a>   | Python-2.0(Python License 2.0)                        |
| 144 | tzdata                            | 2023.4 | <a href="https://github.com/python/tzdata">https://github.com/python/tzdata</a>   | Apache-2.0(Apache License 2.0)                        |
| 145 | tzlocal                           | 5.2    | <a href="https://github.com/regebro/tzlocal/blob/master/CHANGES.txt">https://github.com/regebro/tzlocal/blob/master/CHANGES.txt</a>                                       | MIT(MIT License)                                      |
| 146 | unicid-lite                       | 1.0.8  | <a href="https://github.com/polm/unicid-lite">https://github.com/polm/unicid-lite</a>   | MIT(MIT License)                                      |
| 147 | urllib3                           | 2.1.0  | <a href="https://github.com/urllib3/urllib3/blob/main/CHANGES.rst">https://github.com/urllib3/urllib3/blob/main/CHANGES.rst</a>   | MIT(MIT License)                                      |
| 148 | validators                        | 0.22.0 | <a href="https://pytho">https://pytho</a>   | MIT(MIT License)                                      |